

GCSE to A-level progression: learner transition activities – Biology

Introduction

Learner booklet with information about:

- the specification and structure of the assessment
- and key skills activities to support the move from GCSE to A-level Biology.

Aim of the booklet

This booklet will support your transition from GCSE Science to A-level. At first, you may find the jump in demand a little daunting, but if you follow the tips and advice in this guide, you'll soon adapt. As you follow the course you will see how the skills and content you learnt at GCSE will be developed and your knowledge and understanding of all these elements will progress.

We have organised the guide into three sections:

1. Understanding the specification and the assessment.
2. Transition activities to bridge the move from GCSE to start of the A-level course.
3. Progression of key ideas from GCSE to A-level.

Contents

You can use the title links to jump directly to the different sections of this progression guide.

Section	Page
Understanding the specification and the assessment	3
Transition activities 1-3: Scientific vocabulary	7
Transition activity 4: SI units and prefix	9
Transition activity 5: Units	11
Transition activity 6: Converting data	11
Transition activity 7: Investigating enzymes	12
Transition activity 8: Mean mode median and scatter graphs	14
Transition activity 9: Data in tables	16
Transition activity 10: Analysing complex graphs	17
Transition activity 11: Extended writing	18
Transition activity 12 Cell structure and magnification	19
Transition activity 13 Cell division	20
Transition activity 14 Transport across cell membranes	21
Transition activity 15 Digestion and food tests	23
Transition activity 16 Circulatory system and gas exchange	24
Transition activity 17 DNA and genetics	25
Transition activity 18 Monoclonal antibodies	26

Understanding the specification and the assessments

Specification at a glance

The specification is a useful reference document for you. You can download a copy from our website [here](#).

The most relevant parts of the specification for learners are the following:

- Section 3: Subject content
- Section 6: Maths requirements and examples
- Section 7: Practical assessment

In Biology, the subject content is split between AS and A level (sections 3.1 – 3.4) and A level only (sections 3.5-3.8). The section titles are listed here:

- 3.1 Biological molecules
- 3.2 Cells
- 3.3 Organisms exchange substances with their environment
- 3.4 Genetic information, variation and relationships between organisms
- 3.5 Energy transfers in and between organisms (A level only)
- 3.6 Organisms respond to changes in their internal and external environments (A level only)
- 3.7 Genetics, populations evolution and ecosystems (A level only)
- 3.8 The control of gene expression (A level only)

Each section of the content begins with an overview, which describes the broader context and encourages an understanding of the place each section has within the subject. This overview will not be directly assessed.

The specification is presented in a two-column format:

- the left-hand column contains the specification content that must cover, and that can be assessed in the written papers
- the right-hand column exemplifies the opportunities for maths and practical skills to be developed throughout the course. These skills can be assessed through any of the content on the written papers not necessarily in the topics we have signposted.

Assessment structure

AS

The assessment for the AS consists of two exams, which you will take at the end of the course.

Paper 1	Paper 2
What's assessed Any content from topics 1-4, including relevant practical skills	What's assessed Any content from topics 1-4, including relevant practical skills
How it's assessed - Written exam: 1 hours 30 mins 75 marks 50% of the AS-level	How it's assessed - Written exam: 1 hours 30 mins 75 marks 50% of the AS-level
Questions 65 marks short answers questions 10 marks comprehension questions	Questions 65 marks short answers questions 10 marks comprehension questions

A-level

Paper 1	Paper 2	Paper 3
What's assessed Any content from topics 1-4 including relevant practical skills	What's assessed Any content from topics 5-8, including relevant practical skills	What's assessed Any content from topics 1-8, including relevant practical skills
How it's assessed - Written exam: 2 hours 91 marks 35% of the A-level	How it's assessed - Written exam: 2 hours 91 marks 35% of the A-level	How it's assessed - Written exam: 2 hours 78 marks 30% of the A-level
Questions 76 marks: a mixture of short and long answer questions 15 marks: extended response questions	Questions 76 marks: a mixture of short and long answer questions 15 marks: extended response questions	Questions 38 marks: structured questions, including practical techniques 15 marks: critical analysis of given experimental data 25 marks: one essay from a choice of two titles

Assessment objectives

As you know from GCSE, we have to write exam questions that address the Assessment objectives (AOs). It is important you understand what these AOs are, so you are well prepared. In Biology there are three AOs:

- AO1: demonstrate knowledge and understanding of scientific ideas, processes, techniques, and procedures (A-level about 30-35% of the marks)
- AO2: apply knowledge and understanding of scientific ideas, processes, techniques, and procedures:
 - in a theoretical context
 - in a practical context
 - when handling qualitative data
 - when handling quantitative data(A-level about 40-45% of the marks).
- AO3: analyse, interpret, and evaluate scientific information, ideas, and evidence, including in relation to:
 - make judgements and reach conclusions
 - develop and refine practical design and procedures.(A-level about 25-30% of the marks).

Other assessment criteria

At least 10% of the marks for AS and A-level Biology will assess mathematical skills, which will be equivalent to Level 2 (Higher Tier GCSE Mathematics) or above.

At least 15% of the overall assessment of AS and A-level Biology will assess knowledge, skills and understanding in relation to practical work.

Command words

Command words are used in questions to tell you what is required when answering the question. You can find definitions of the command words used in Biology assessments on the [website](#). They are very similar to the command words used at GCSE

Subject specific vocabulary

You can find a list of definitions of key working scientific terms used in our AS and A-level specification [here](#).

You will become familiar with, and gain understanding of, these terms as you work through the course.

Transition activities

The following activities cover some of the key skills from GCSE science that will be relevant at AS and A-level. They include the vocabulary used when working scientifically and some maths and practical skills.

You can do these activities independently or in class. The booklet has been produced so that it can be completed electronically, or you can print them out.

The activities are **not a test**. Try the activities first and see what you remember and then use textbooks or other resources to answer the questions. **Don't** just go to Google for the answers, as actively engaging with your notes and resources from GCSE will make this learning experience much more worthwhile.

The answer booklet guides you through each answer. It is not set out like an exam mark scheme but is to help you get the most out of the activities.

Understanding and using scientific vocabulary

Understanding and applying the correct terms are key for practical science. Much of the vocabulary you have used at GCSE for practical work will not change but some terms are dealt with in more detail at A-level so are more complex.

Activity 1 Scientific vocabulary: designing an investigation

Link each term on the left to the correct definition on the right.

Hypothesis

The maximum and minimum values of the independent or dependent variable

Dependent variable

A variable that is kept constant during an experiment

Independent variable

The quantity between readings, eg a set of 11 readings equally spaced over a distance of 1 metre would give an interval of 10 centimetres

Control variable

A proposal intended to explain certain facts or observations

Range

A variable that is measured as the outcome of an experiment

Interval

A variable selected by the investigator and whose values are changed during the investigation

Activity 2 Scientific vocabulary: making measurements

Link each term on the left to the correct definition on the right.

True value	The range within which you would expect the true value to lie
Accurate	A measurement that is close to the true value
Resolution	Repeated measurements that are very similar to the calculated mean value
Precise	The value that would be obtained in an ideal measurement where there were no errors of any kind
Uncertainty	The smallest change that can be measured using the measuring instrument that gives a readable change in the reading

Activity 3 Scientific vocabulary: errors

Link each term on the left to the correct definition on the right

Random error	Causes readings to differ from the true value by a consistent amount each time a measurement is made
Systematic error	When there is an indication that a measuring system gives a false reading when the true value of a measured quantity is zero
Zero error	Causes readings to be spread about the true value, due to results varying in an unpredictable way from one measurement to the next

Activity 4 SI units and prefixes

Understanding and using SI units

Every measurement has a size (eg 2.7) and a unit (eg metres or kilograms). Sometimes, there are different units available for the same type of measurement. For example, milligram, gram, kilogram and tonne are all units used for mass.

To reduce confusion, and to help with conversion between different units, there is a standard system of units called the SI units which are used for most scientific purposes.

These units have all been defined by experiment so that the size of, say, a metre in the UK is the same as a metre in China.

There are seven SI base units, which are given in the table.

Physical quantity	Unit	Abbreviation
Mass	Kilogram	kg
Length	Metre	m
Time	Second	s
Electric current	Ampere	A
Temperature	Kelvin	K
Amount of substance	Mole	mol
Luminous intensity	candela	cd

All other units can be derived from the SI base units. For example, area is measured in metres square (written as m^2) and speed is measured in metres per second (written as m s^{-1} , this is a change from GCSE where it is written as m/s).

Using prefixes and powers of ten

Very large and very small numbers can be complicated to work with if written out in full with their SI unit. For example, measuring the width of a hair or the distance from Manchester to London in metres (its SI unit) would give numbers with a lot of zeros before or after the decimal point, which would be difficult to work with.

So, we use prefixes that multiply or divide the numbers by different powers of ten to give numbers that are easier to work with. You will be familiar with the prefixes milli (meaning 1/1000), centi (1/100), and kilo (1 × 1000) from millimetres, centimetres, and kilometres. There is a wide range of prefixes. Most of the quantities in scientific contexts will be quoted using the prefixes that are multiples of 1000. For example, we would quote a distance of 33 000 m as 33 km.

The most common prefixes you will encounter are given in the table.

Prefix	Symbol	Power of 10	Multiplication factor	
Tera	T	10^{12}	1,000,000,000,000	
Giga	G	10^9	1,000,000,000	
Mega	M	10^6	1,000,000	
kilo	k	10^3	1,000	
deci	d	10^{-1}	0.1	1/10
centi	c	10^{-2}	0.01	1/100
milli	m	10^{-3}	0.001	1/1000
micro	μ	10^{-6}	0.000 001	1/1 000 000
nano	n	10^{-9}	0.000 000 001	1/1 000 000 000
pico	p	10^{-12}	0.000 000 000 001	1/1 000 000 000 000
femto	f	10^{-15}	0.000 000 000 000 001	1/1 000 000 000 000 000

Question

What would be the most appropriate unit to use for the following measurements?

1. The time between heart beats
2. The diameter of a cheek cell
3. The distance that a migratory bird travelled each year
4. The thickness of a DNA helix
5. The mass of a rabbit
6. The mass of iron in the body
7. The diameter of a glucose molecule

Activity 5 Units

Choose the most appropriate unit and estimate the size of each of the following.

1. The mass of an earthworm
2. The volume of water in a teardrop
3. The volume of water in a garden pond
4. The time taken for a sunflower to grow
5. The temperature difference between the blood in the heart and in the ear on a cold day
6. The diameter of a human hair
7. The length that your fingernails grow each day
8. The total length of DNA in one human body cell

Activity 6 Converting data

Re-write the following.

1. 0.00224 metres in millimetres
2. 104 micrograms in grams
3. 6.2 kilometres in metres
4. 10 micrograms in nanograms
5. 70 decilitres in litres
6. 10 cm^3 in litres

Activity 7 Investigating how temperature and pH affect enzymes

Practical skills

The practical skills you learnt at GCSE will be further developed through the fieldwork and practicals you undertake at A-level. Your teacher will explain in more detail the requirements for fieldwork, practical work, and the research methods.

There is a practical handbook for Biology which has lots of very useful information to support you in developing these important skills. You can download a copy [here](#).


Question

Egg white is made of protein. The learners were investigating how temperature and pH affect the digestion of protein.

The learners carried out the following procedure:

- filled six narrow glass tubes with fresh egg white
- boiled the tubes so the egg white became solid
- placed each tube into a different beaker containing human protease enzyme at different pH values at room temperature and 3 in neutral pH but at different temperatures for 24 hours
- measured the length of solid egg white in each tube after 24 hours.

The diagram shows the investigation.



The results were recorded in the tables below:

pH	Original length of solid egg white (cm)	Final length of solid egg white (cm)	% change
4	6.0	5.6	
7	6.0	3.8	
9	6.0	5.8	

Temperature (°C)	Original length of solid egg white (cm)	Final length of solid egg white (cm)	% change
15	6.0	5.7	
35	6.0	3.8	
55	6.0	5.3	

A-LEVEL BIOLOGY – 7401/7402 – GCSE TO A-LEVEL LEARNER TRANSITION ACTIVITIES

1. State a hypothesis for this investigation.
2. The learners predicted that the enzyme would be most effective in conditions similar to those found in the human body. Was their prediction correct?
3. Identify the independent and dependent variables in this investigation.
4. Suggest the control variables for this investigation.
5. Describe the difference between repeatable and reproducible.
6. What would be the most likely resolution of the ruler you would use in this investigation.
7. Suggest how repeating the investigation would be an improvement.
8. Calculate the % change for each result in this investigation. Show your answers to 3 significant figures.

Activity 8 Mean, mode, median and scatter graphs

Analysing data

Biological investigations often result in large amounts of data being collected. It is important to be able to analyse this data carefully in order to pick out trends.

Question


A learner investigated an area of moorland where succession was occurring. The learner used quadrats to measure the area covered by; different plant species, bare ground and surface water.

They did this every 10 metres along a line transect. The learner also recorded the depth of soil at each quadrat. Their results are shown in the table.

	Area covered in each quadrat A to E in cm ²				
	A	B	C	D	E
Bog moss	55	40	10	–	–
Bell heather	–	–	–	15	10
Sundew	10	5	–	–	–
Ling	–	–	–	15	20
Bilberry	–	–	–	15	25
Heath grass	–	–	30	10	5
Soft rush	–	30	20	5	5
Sheep's fescue	–	–	25	35	30
Bare ground	20	15	10	5	5
Surface water	15	10	5	–	–
Soil depth / cm	3.2	4.7	8.2	11.5	14.8

Calculate:

1. Calculate the mode area of soft rush in the sample.
2. Calculate the mean soil depth of the area of moorland sampled.
3. Calculate the median amount of bare ground in the sample.
4. Using the data in the table plot a **scatter graph** of the soil depth against the area covered by bare ground, soft rush and bog moss (use different colours or markers for each).



1. What conclusions can you draw from this graph?
2. Suggest how to improve the validity of these conclusions.

Activity 9 Data in tables

A patient with a leaking heart valve may have the valve replaced. A study compared two different types of replacement heart valve:

- mechanical valves
- biological valves from pigs.

The data used in the study was collected from female patients aged 50-69. **Table 4** shows the data

Table 4


	Type of replacement heart valve	
	Mechanical	Biological
Number of patients given the valve	2852	1754
Number of patients who died from heart-related problems after valve replacement	180	178
Percentage of patients alive after 5 years	91	89
Percentage of patients needing a second valve replacement within 6 years	2.2	5.2
Percentage of patients who had a blood clot on the brain after surgery	5.8	0.1

1. Give one conclusion about the death of patients from heart-related problems after a valve replacement.
Include calculations to support your answer.
2. Evaluate the use of mechanical replacement heart valves and biological replacement heart valves.
Use information from Table 4.

Activity 10 Analysing complex graphs

The volume of air breathed in and out of the lungs during each breath is called the tidal volume.

The breathing rate and tidal volume were measured for a cyclist pedalling at different speeds. The graph shows the results



1. State the tidal volume when the cycling speed was 17 km h^{-1} .
2. State the breathing rate when the cycling speed was 8 km h^{-1} .
3. Calculate the change in breathing rate when the cyclist speed changed from 10 to 20 km h^{-1} . Express this as a percentage.
4. State the speed at which the breathing rate starts to increase.
5. The tidal volume increased linearly with the cycling speed up to about 10 km h^{-1} . Calculate the increase in volume for each increase in speed of 1 km h^{-1} .

Activity 11 Extended writing

The ability to write coherently in a logical, well-structured way is an essential skill to develop. At GCSE the 6-mark extended response questions are used so learners can demonstrate this skill. At A-level you need to develop this skill further, and you will be expected to write longer extended response questions, including an essay worth 25 marks. You will practice this skill over the next 2 years.

The command word in a question, like at GCSE, is important as it gives you an indication of what to include in your answers. For example, 'explain' means you must give reasons why things are happening, not just give a description. A comparison needs advantages and disadvantages or points for and against. Your teacher will work with you on this skill during the course.

This is an 'open book' activity, meaning you can use notes/ resources to help you.


Before attempting the question below, you might want to remind yourself of the work you did on the following topics at GCSE (using notes/ textbooks/ revision guides etc):

- the theory of evolution
- the role of mutation and natural selection

Lemurs are only found on the island of Madagascar. Madagascar is off the coast of Africa. Scientists think that ancestors of modern lemurs evolved in Africa and reached Madagascar about 50-60 million years ago.

Today there are many species of lemur living on Madagascar

Figure 1 shows the distribution of three species of lemur on Madagascar.



Describe how the ancestors of modern lemurs may have evolved into the three different species shown on the map (species P, species Q and ring tail lemurs)

Progression of content

What you learnt at GCSE forms the foundation to your further study at A-level. Ideas will be developed and refined, new concepts and skills will be introduced. The follow are some **optional** questions which you might like to have a go at. They are designed to help refresh your memory of some of the important concepts you will use during your study of AS and A - level Biology.

Use the questions in each section to help to identify where your knowledge and understanding is secure and which areas you may need to revisit.

Activity 12 Cell structure and magnification

Drawing images from microscope observations must be done carefully, including careful measurements for magnification calculations.

Make sure that you are clear on the organelles within different cells and their functions.

You must also be secure in the method used to make observations using a light microscope and the purpose of each method step.


Figure 1 shows an animal cell viewed using a microscope



The cell contains a nucleus.

1. State the function of the nucleus.
2. Name **one** type of cell that does **not** contain a nucleus.
3. On the diagram label three parts of the cell.
4. Name **one** structure found in a plant cell but **not** found in an animal cell.

The figure below shows some different cells.



The real length from point **X** to point **Y** is 0.06 mm.

5. Calculate the magnification.

The cells shown above were viewed using a light microscope.

6. Give **two** advantages of using an electron microscope instead of a light microscope.

Activity 13 Cell division

There is sometimes confusion between how and cells divide by mitosis and meiosis. You need to understand the purpose and features of each process and the role of mitosis in the cell cycle.

Cell division is needed for growth and for reproduction.

Table 3 contains three statements about cell division.

Complete **Table 3** by ticking **one** box for each statement.

Table 3

Statement	Statement is true for		
	Mitosis only	Meiosis only	Both mitosis and meiosis
All cells produced are genetically identical			
In humans, at the end of cell division each cell contains 23 chromosomes			
Involves DNA replication			

Activity 14 Transport across cell membranes

In Biology, many processes involve moving substances across boundaries. Ensure that you know what each of diffusion, osmosis and active transport are and where each takes place. Questions on transport across cell membranes often involve data and applying knowledge and understanding to unfamiliar contexts.

One of the required practicals at GCSE is on osmosis, make sure that you can interpret the graph used to show the results.

A learner carried out an investigation using chicken eggs. This is the method used.

1. Place 5 eggs in acid for 24 hours to dissolve the egg shell.
2. Measure and record the mass of each egg.
3. Place each egg into a separate beaker containing 200 cm³ of distilled water.
4. After 20 minutes, remove the eggs from the beakers and dry them gently with a paper towel.
5. Measure and record the mass of each egg. **Table 4** shows the results.

Table 4

Egg	Mass of egg without shell in grams	Mass of egg after 20 minutes in grams
1	73.5	77.0
2	70.3	73.9
3	72.4	75.7
4	71.6	73.1
5	70.5	73.8

Another learner suggested that the result for egg **4** was anomalous.

1. Do you agree with the learner?
Give a reason for your answer.
2. Calculate the percentage change in mass of egg **3**.
3. Explain why the masses of the eggs increased.
4. Explain how the learner could modify the investigation to determine the concentration of the solution inside each egg.

Chicken eggshells contain calcium. Calcium ions are moved from the shell into the cytoplasm of the egg.

Table 5 shows information about the concentration of calcium ions.

Table 5

Location	Concentration of calcium ions in arbitrary units
Egg shell	0.6
Egg cytoplasm	2.1

5. Explain how calcium ions are moved from the shell into the cytoplasm of the egg.

Activity 15 Digestion and food tests

It is important to understand the role of enzymes in digestion and how enzymes work. Recalling the food tests is important, particularly how to test for protein and sugars.

1. Describe how a learner could test cow's milk to show whether it contains protein and different types of carbohydrate.

A scientist investigated the effect of bile on the breakdown of fat in a sample of milk.

The scientist used an indicator that is colourless in solutions with a pH lower than 10, and pink in solutions with a pH above 10

This is the method used.

Add 1 drop of bile to a test tube and one drop of water to a second test tube.

- Add the following to each test tube:
 - 5 cm³ of milk
 - 7 cm³ of sodium carbonate solution (to make the solution above pH 10)
 - 5 drops of the indicator
 - 1 cm³ of lipase.
- Time how long it takes for the indicator in the solutions to become colourless.


	Time taken for the indicator to become colourless in seconds
Solution with bile	65
Solution without bile	143

2. Explain why the indicator in both tubes became colourless.
3. Explain the difference in the results for the two test tubes in the table above

Activity 16 Circulatory systems and gas exchange

Application of your knowledge and understanding of these key concepts to unfamiliar context is a way examiners can assess the depth of your understanding.


A small animal called an axolotl lives in water.



The axolotl has a double circulatory system.

1. Explain what is meant by the term double circulatory system.

The diagram below shows the double circulatory system of the axolotl.



2. The heart of the axolotl has only one ventricle. Label the ventricle on the diagram.
3. Explain why having only one ventricle makes the circulatory system less efficient than having two ventricles.


Explain why an axolotl may die in water with a low concentration of oxygen. Use the diagram above to help you, remember about surface area: volume ratio in gas exchange.

Activity 17 DNA and genetics

Genetic material is made of DNA.

1. Name the structures in the nucleus of a human cell which contain DNA.

The figure below shows part of one strand of a DNA molecule.



2. Label parts **X**, **Y** and **Z** with the correct word from the list below:

base fatty acid nucleotide sugar glycerol

3. A complete DNA molecule is made of two strands twisted around each other.
What scientific term describes this structure?

DNA codes for the production of proteins.

A protein molecule is a long chain of amino acids.

4. How many amino acids could be coded for by the piece of DNA shown in the figure above?

Activity 18 Monoclonal antibodies

Monoclonal antibodies are identical copies of a specific type of antibody. Antibodies are extremely important as they are a type of protein that is produced by lymphocytes to fight pathogens (disease causing viruses, bacteria, fungi or protists). Pathogens have antigens on them which makes them unique. When a pathogen enters an organism and causes an infection, the lymphocyte recognises the unique antigen on the pathogen and start attacking them by producing antibodies. Monoclonal antibodies (copies) can be made in the lab.

A farmer thinks a potato crop is infected with potato virus Y (PVY). The farmer wants to buy a monoclonal antibody to get rid of the potato virus.

To make the monoclonal antibodies a scientist first isolates the PVY protein from the virus.

1. Describe how the scientist would use the PVY protein to produce the PVY monoclonal antibody for the farmer.

GCSE to A-level progression: learner transition activities answer booklet – Biology


Contents

Contents	Page
Transition activities 1-3 Scientific vocabulary	3-4
Transition activity 4 SI units and prefixes	5
Transition activity 5 Units	5
Transition activity 6 Converting units	5
Transition activity 7 Investigating enzymes	6
Transition activity 8 Mean, media, mode and scatter graphs	7
Transition activity 9 Data in tables	8
Transition activity 10 Analysing complex graphs	8
Transition activity 11 Extended writing	9
Transition activity 12 Cell structure and magnification	9
Transition activity 13 Cell division	9
Transition activity 14 Transport across cell membranes	10


A-LEVEL BIOLOGY – 7402 – LEARNER TRANSITION ACTIVITIES ANSWER BOOKLET

Contents	Page
Transition activity 15 Digestion and food tests	10
Transition activity 16 Circulatory system and gas exchange	11
Transition activity 17 DNA and genetics	11
Transition activity 18 monoclonal antibodies	11


Activity 1 Scientific vocabulary: Designing an investigation



Activity 2 Scientific vocabulary: Making measurements



Activity 3 Scientific vocabulary: Errors



Activity 4 SI units and prefixes

1. ms (milliseconds)
2. μm
3. km
4. nm
5. g or kg
6. g
7. pm (picometres)

Activity 5 Units

1. 4 g
2. 0.05 ml, 50 μl
3. 1.5 m³
4. 120 days
5. 2 °C
6. 100 μm
7. 0.1 mm
8. 2 m

Activity 6 Converting units

1. 2.24 mm
2. 0.104 g
3. 6200 m
4. 10,000 nanograms
5. 7 l
6. 0.01 l

Activity 7 Investigating enzymes

1. The hypothesis is that length of egg white in each tube will decrease. This is expected to happen because protein in the egg white will be digested by the protease enzyme. The magnitude of the decrease will depend on the pH and temperature in which the enzyme and protein are incubated as enzyme activity is affected by both pH and temperature.

Remember: a hypothesis requires some scientific explanation as to why it is thought to be true.

2. The prediction was correct as the biggest decrease in length of egg white occurred at both pH7 and at 35 °C. This suggests that the enzyme is most effective at this pH and temperature of those tested.

(A prediction also requires some explanation. These results tell us that the optimum conditions for the enzyme of the three pH and temperature values tested. However, we cannot conclude that these are the best conditions for the enzyme, that would require further tests.)

3. Independent – pH or temperature; dependent- length of egg white.
4. Control variables include length of incubation time, concentration of protease enzyme used.
5. Repeatable – same person using same method and equipment gives same outcome. It is not enough to say 'keep everything the same'. Reproducible – different person or different method and equipment gives same outcome
6. 1 mm
7. Repeating the investigation allows you to identify and then ignore anomalous results. Ideally, you would repeat an experiment such as these three times to see how close together the results are and ignore those that appear anomalous when calculating a mean change at each pH/ temperature.

Repeated results that are close to the mean are said to be precise. When suggesting repeating an experiment as an improvement, you must state why this would help. It is not enough to identify an anomaly, you must be clear how to deal with (eg ignore when calculating a mean).

8. To calculate % change : calculate the change in length and then express it as a percentage of the total starting length

For example: pH 4

change in length $6.0 - 5.6 = 0.4$ cm

0.4 as a % of $6 = \frac{0.4}{6} \times 100 = 6.66666$

to 3 sig fig. = 6.67


pH 4 = 6.67 15 °C = 5.00

pH 7 = 36.7 35 °C = 36.7

pH 9 = 3.33 55 °C = 11.7

Activity 8 Mean, media, mode and scatter graphs

1. 5 cm²
2. 8.5 cm²
3. 10 cm²
- 4.



5. Bog moss and soft rush favour shallow soils as the deeper the soil, the lower the area covered by each of these.

The deeper the soil, the better vegetation grows as the deeper the soil the less area covered by bare ground.

In your answer mention both factors that you were asked to plot on the graph in your conclusion.

6. Repeat the investigation in similar positions to increase the sample size. This will allow to check for precision of results and to identify and ignore anomalous results when calculating mean values. This increases accuracy and validity of conclusions. Only stating that you would repeat the investigation is insufficient. The reasons why this is an improvement are needed. Use the correct scientific language such as validity, accuracy and precision.

Activity 9 Data in tables

$$1. \quad \% \text{ of deaths following mechanical valve} = \frac{180}{2852} \times 100 = 6\%$$

$$\% \text{ of deaths following biological valve} = \frac{178}{1754} \times 100 = 10\%$$

Therefore a higher percentage of patients die with biological valve than mechanical valve.

2. Evaluate means to use the information (and your own knowledge) to consider the evidence on both sides. It is essential that you include a judgement based on the evidence, for example say which type of valve you would recommend.

Content could include the following as comparison of both valves.

Mechanical valves:

- longer lasting or more durable or don't wear out as easily or less likely to need replacing (within 6 years)
- blood clots on the brain are more likely after surgery
- patient has to take anti-clotting medication for the rest of their lives
- if medication not taken correctly, clots can lead to blood clots on brain / heart attack
- medication can lead to excessive bleeding (after injury)
- some patients say they can hear the valves opening and closing
- survival rate at 5 years is slightly higher for mechanical valve
- lower percentage of deaths due to heart-related problems.

Biological valves:

- more likely to need further operation or another new valve
- valve may harden
- more likely to be rejected
- no additional medication required
- ethical issues surrounding use of animal tissue
- more likely to need (immuno-suppressant) medication.

Both valves:

- both are readily available • little wait time.

Activity 10 Analysing complex graphs

1. 2.5 dm^3
2. 13.5 breaths per minute
3. Increased from 15.0 to 19.5 breaths per minute = an increase of 4.5 breaths per minute.
 $\frac{4.5}{15} \times 100 = 30\%$
4. 5.5 km h^{-1}
5. Tidal volume increases from 0.6 dm^3 to 2.0 dm^3 from $0-10 \text{ km h}^{-1}$

$$\text{Average change per increase of } 1.0 \text{ km h}^{-1} = \frac{1.4}{10} = 0.14 \text{ dm}^3 \text{ km h}^{-1}$$

Activity 11 Extended answers

A good description requires scientifically relevant facts, events or processes to be identified and given in detail to form an accurate account. Your description should include the following points:

- isolation of different populations
- habitat variation between lemur populations
- genetic variation or mutation (in each population)
- better adapted survive (reproduce) and pass on (favourable) allele(s) to offspring
- (eventually) cannot produce fertile offspring with other populations.

Activity 12 Cell structure and magnification

1. Controls the activities of the cell
2. Red blood cell or bacteria / prokaryote or xylem cell
3. Any three features correctly identified and labelled:
 - cell membrane
 - nucleus
 - cytoplasm
 - mitochondria
 - ribosomes.
4. Cell wall, chloroplast, vacuole
5. Magnification = $\frac{\text{size of image}}{\text{size of real object}}$
6. Higher magnification and higher resolution

Activity 13 Cells and cell division

	statement is true for		
	mitosis only	meiosis only	both mitosis and meiosis
all cells produced are genetically identical	✓		
in humans, at the end of cell division each cell contains 23 chromosomes		✓	
involves DNA replication			✓

Activity 14 Transport across cell membranes


1. Yes, because the mass change of egg 4 is much lower than the others.
2. $75.7 - 72.4 \times 100 = 4.6\%$
72.4
3. Mass increased because water entered the egg by osmosis from a dilute solution in the beaker to a more concentrated solution in the egg through a partially permeable membrane.
4. Use five or more different concentrations of salt / sugar solution in beakers
plot the percentage change (in mass / volume) on a graph
determine the concentration where the curve / line crosses the zero-percentage change (in mass / volume).
5. Ions are moved from an area of low concentration to high concentration by active transport which requires using energy.

Activity 15 Digestion and food tests

1. The method could include the following steps:
 - a) Biuret reagent tests for protein
 - b) add Biuret reagent to milk
 - c) solution will turn (from blue) to lilac if positive
 - d) iodine solution tests for starch (ignore iodine unqualified)
 - e) add iodine solution to milk
 - f) solution will turn (from orange / brown) to blue / black if positive
 - g) Benedict's reagent tests for sugars
 - h) add Benedict's reagent to milk and heat
 - i) solution will turn (from blue) to (brick) red / brown / orange / yellow / green if positive.
2. Lipase breaks down fat into fatty acids, the fatty acids lower the pH.
when the fatty acids cause the pH to be below 10 the indicator becomes colourless.
3. Bile emulsifies fats which creates a larger surface area of fat. The lipase can then break down the fat to produce fatty acids more quickly or effectively.

Activity 16 Circulatory system and gas exchange

1. Blood is pumped to the lungs by one side of the heart and blood is pumped to the body by the other side of the heart.
2. Ventricle labelled as grey area as below



3. Oxygenated and deoxygenated blood mixes so less oxygen reaches the body cells.
4. The concentration gradient of oxygen is less steep in water where there is a low concentration of oxygen, so less oxygen diffuses into blood / cells / gills.
Less aerobic respiration occurs so less energy is released / available so less metabolism
or
More anaerobic respiration occurs so less energy is released / available so less metabolism.

Activity 17 DNA and genetics

1. Chromosome(s)
2. X = sugar
Y = nucleotide
Z = base
3. Double helix
4. 3

Activity 18 Monoclonal antibodies

- Inject the protein into a mouse.
- Combine lymphocytes with tumour or cancer cells to make hybridoma (cells).
- Find a hybridoma which makes a monoclonal antibody specific to PVY.
- Clones (the hybridoma) to produce many cells (to make the antibody).